



Beta Presentation Data on Demand App

The Capstone Experience

Team United Airlines Airport Operations

Hargun Atwal

Joseph Chen

Elizabeth DeBack

Emmanuel Marudo

Grace Mora

Department of Computer Science and Engineering

Michigan State University

Fall 2022



*From Students...
...to Professionals*


Project Overview

- Access to injury, damage incidents was not available in a quick manner
- Users can use available filters to view specific incidents
- Admins are able to add, remove filters
- Incidents are summarized quantitatively, with the ability to include more details in a table
- Results can be shared via email




System Architecture


Exchange
Settings Info to
EGR Server



Home



Settings Page




The image shows a smartphone screen displaying the 'Injury Filter Configuration' settings page. The page has a blue header with 'Home', 'Stats', and 'Admin Portal' links. Below the header, the title 'Injury Filter Configuration' is centered. The main content area is a table with three columns: 'Display Name', 'Change Name', and 'Info'. The table lists various filters that can be configured. Each row has a checkbox on the left, a text input field in the middle, and a toggle switch on the right. The filters are: Station, Department Code, Incident Type, Injury Type, Body Part, OSHA vs. Non-OSHA, Department, Employee Tenure Length, and Phase. The first seven filters are checked, while the last two are unchecked.

	Display Name	Change Name	Info
<input checked="" type="checkbox"/>	Station	<input type="text"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	Department Code	<input type="text"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	Incident Type	<input type="text"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	Injury Type	<input type="text"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	Body Part	<input type="text"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	OSHA vs. Non-OSHA	<input type="text"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	Department	<input type="text"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Employee Tenure Length	<input type="text"/>	<input type="checkbox"/>
<input type="checkbox"/>	Phase	<input type="text"/>	<input type="checkbox"/>



Damage Filter Page



A mobile application interface for a 'Damage Filter' page. The screen is displayed on a smartphone with a black bezel. At the top, a status bar shows the time '9:13' in a green pill, a signal strength indicator, and a battery icon. Below the status bar is a blue navigation bar with three tabs: 'Home', 'Stats', and 'Admin Portal'. The main content area is white and titled 'Damage Filter' in bold black text. It contains several filter sections, each with a title and a dropdown menu. The filters are: 'Date Range' (set to 'All Time'), 'Start Date' and 'End Date' (empty text boxes), 'Station' (set to 'ATL'), 'Charged Division' (set to 'Select...'), 'Who is Responsible for the Damage' (set to 'Select...'), 'Damage Code' (set to 'Select...'), 'A4A vs. Non-A4A' (set to 'Select...'), and 'FOA vs. Non-FOA' (set to 'Select...'). At the bottom of the form is a grey button with the text 'Filter' in blue.

9:13

B297e203283f44.1hr.life

Home Stats Admin Portal

Damage Filter

Date Range

All Time

Start Date **End Date**

Station

ATL

Charged Division

Select...

Who is Responsible for the Damage

Select...

Damage Code

Select...

A4A vs. Non-A4A

Select...


FOA vs. Non-FOA

Select...

Filter



Damage Filter Results



A smartphone mockup displaying a mobile application interface for filtering damage results. The screen shows a status bar at the top with the time 9:14, a signal strength indicator, and a battery level of 84%. Below the status bar, the app title "8297e203283f44.ltr.life" is visible. The main section is titled "Who is Responsible for the Damage" and contains four filter options, each with a dropdown menu and a clear button (X): "Who is Responsible for the Damage" (Set to "Select..."), "Damage Code" (Set to "Belt Loader"), "A4A vs. Non-A4A" (Set to "Select..."), and "FOA vs. Non-FOA" (Set to "FOA"). A "Filter" button is located below these filters. The results section, titled "Damage Filter Results", displays a large number "40". At the bottom of the results section are three buttons: "Bar Chart", "Share", and "Clear Results".

9:14 8297e203283f44.ltr.life

Who is Responsible for the Damage

Select... | v

Damage Code

Belt Loader | X | v

A4A vs. Non-A4A

Select... | v

FOA vs. Non-FOA

FOA | X | v

Filter

Damage Filter Results

40

Bar Chart

Share

Clear Results



Damage Filter Table

9:14 8297e203283644 iPhone

Who is Responsible for the Damage

Select...

Damage Code

Belt Loader

AAA up, Max AAA

Incidents

	Date	Station	Device	Who is Responsible for the Damage	AAA
1	2012/10/08	MBF			No
2	2012/10/08	FAW	Airport Operations		No
3	2012/10/08	DTN	Airport Operations	UK	No
4	2012/08/06	PPF	Airport Operations	Ng	No
5	2012/08/07	MBF	Airport Operations	Ng	No
6	2012/08/07	GGK	Airport Operations		No
7	2012/08/08	DDQ	Airport Operations	UK	No
8	2012/08/08	HAS	Airport Operations	Ng	No
9	2012/08/08	IMH	Airport Operations		No
10	2012/08/09	FWG	Airport Operations		No
11	2012/08/07	HAS	Airport Operations	Ng	No
12	2012/08/08	DTN	Airport Operations	Ng	No
13	2012/08/08	DDQ	Airport Operations		No
14	2012/08/08	HAS	Airport Operations	Ng	No
15	2012/08/08	DTN	Airport Operations	UK	No

Share

CLOSE

Clear Results



Damage Filter Bar Chart



What's left to do?

- Other Tasks
 - Fix columns in filter tables
 - Update UI/UX
 - Alert if user is outside of network
 - Document code

Questions?

?

?

?

?

?

?

?

?

?

