MICHIGAN STATE UNIVERSITY **Alpha Presentation Audit Management System The Capstone Experience Team United Airlines Quality Assurance Tyler Higashi** Jay Ho Sam Hus **Robert Morton Michael Schester Department of Computer Science and Engineering** Michigan State University

Fall 2022



From Students... ...to Professionals

Project Overview

- Assist United Airlines to audit the companies that maintain and repair its airplanes more efficiently
- iOS App
 - Improvements on last semester's iOS app capabilities
 - Created new roles
- Website
 - Vendors of United Airlines can respond to audits
 - United Airlines admins can monitor / review audits

System Architecture



Admin view of an auditor



The Capstone Experience

Admin view of a manager



The Capstone Experience

Checklist

COLPM: Wed.Ovt 8			# 10	771- 111
C BACK				
Engine H	Repair-Overhaul C	hecklist 011	Rev 55.xlsx	
1 Policy / Certifications	(******Record I	he observed contr	buting Human Factors at t	me
of finding******	(HF3) Lack of Communik (HF3) Lack of Knowledge	sation	HF2	
Distractions	(HF5) Lack of Knowledge (HF5) Lack of Te			
Faligue	(HF7) Lack of Resou	roei	04F8) Pressure	
	Lack of Assertiveness a04F12) Norma			
The second s	ne anterestation			
	opy of the current FAA Air A			and
Operations Specification	is (if applicable). Are they ac	curate? [49 CFR 18	10.205(c)] (145.1) [2A]	
	C Yes C N	O D NW		
Comment:				
Sector Sector				
	s Limited Ratings, does the 1 ty, Tool & Test, Material, Equ 145.61] [145.215] [20]			the
	D. Yes D N	With TT NW		
Contract of the second of the	L 100 L 10	a la lan		
Comment:				
3 : Does the vend	or only perform work author	ized on its Operation	ins Specifications? [2A]	
10000000000000	D Yes D N	tit and		
23100007	D In D	O LI MAN		
Comment:				
	wve an FAA approved and a or Registration()7 (20, IE) 14C		alcohol misuse prevention	
	D YE D N	III DI NA		
Comment:				
E - Course this counding has	🖨 Generate PDF 📩 (1
A REAL PROPERTY AND A REAL	Constant	Quint	Q Incenters	
O Automi	Castro			

The Capstone Experience

Table Data - "In Process" Sheets

	6			
413 PM Sm Oot 8 THOMAS TO 10010	4/25 PM. View Oct 10		44	
< Back	< Back			
In-Process Upload to Database Saw Progress				
eng Askate addiniaritys	In Process			Add 6
Universe Northerd M				
the fullier	In Process Sheet #1			Dele
Seriel Marchine	Strategies Name 0			
himmenature	##90/Mg/00.00			
	Additional Comments			
Test.				
Induite Commer Name				
TEORICA SECONTINU				
Record type of stars, avoing their problem likeling by bype				
Total and the second se				
Nexa difference and the dates Plane, Berline				
940109				
Averaged linear and due dama it legs par bear				
TRADE-BALIFY				
Outside of Storme				
Industra Texaster				
Request through				
Dute Qualified Oct 9, 2022				
🔕 Australia 🖉 Creates 🥥 Melanan 🔘 Sant Inco	O Anna State	0	🖉 in Process	Ø 1004 (10
		2		

Table Data – Technical Data

4-13-PM See Dot 1	***		₱ 100% ●	
< Back		Upload to Database	Saus Devenues	
	Technical Data	<u>۵</u>	B ©	
TED-BIRDAL DATA AT				
Fail Manhed Arcold Wing D	locationing Maren.			
Munufacturer				
Res. Data				
TATIONALING DAYA ALL				
Part Manharitiker rath King St				
XXXDammeri 1D				
Res Lipsed				
New ZMAR				
Comments				
TECHNICAL DATA KD				
Part Nanta-Security English	Incrumin Alarm			
ATA Damment ID				
Rev. Devel				
O Termene Data		tren O trent	0	
and the second second				
O head (1);	0	O to Private	Contra Date	

28.0W Men Oct 13			· 1004	
C Back				
Technical Data			Add Entry	
Technical Data #1			Deteta Entr	
Part Mandoor / Anstart / Dog Offention				
Rühuflichund				
X7.6 / Elociament 30				
Rive Lavet				
Res Date				
Additional Comments				
Technical Data #2			Delette Entr	
Part Northur / Arcrist. / Eng Uthornial	(Him			
Mainflacture .				
30%/Decomore10				
Time Layer				
films (Dates				
Additional Comments				
O Terrese Data O Pare O	Catrotes 🖉	1 Ø	transferi	
() Just 193		Ø 11-21-1,	🚱 Tata Data	

Vendor Website

← C Q. UnitedAirlines/checklists/issuesonly			🕼 🖉 🖓
UNITED			
gged in as General Electric			
ome SelectAudit Checklists Login Logout			
aw whole checkles			
	Section 2		
2.1: Are ATA 103 forms or equivalent being used? If not, are all checks documented as being compi ■ Yes. ♥ No ■ N/E	iled with at the intervals outlined in ATA 103, e.g., daily	, weekly, monthly, quarterly a	ind annual inspections? GFM 01-09-4
isk Category: 2B (limited) Auditee Name: Randy Foster			
Finding: The daily, weekly, monthly, and annual inspections are not being compiled with as required. GFM 01-0 completed in December 2021 and January 2022. Monthly inspections were not completed at all in 202	1/2022; including Nozzle Screens, Hose inspection, Bond	ling cable continuity (record o	hms), Leaks, Thermo Accumulators a
Risk Category: 2B (limited) Auditee Name: Randy Foster Finding: The daily, weekly, monthly, and annual Inspections are not being compiled with as required. GFM 01-0 completed in December 2021 and January 2022. Monthly inspections were not completed at all in 202 placards. "Nozzle Pressure Gauge Annual Calibration was not completed in 2021/2022. NOTE: Fueling i	1/2022; including Nozzle Screens, Hose inspection, Bond	ling cable continuity (record o	hms), Leaks, Thermo Accumulators a
Finding: The daily, weekly, monthly, and annual inspections are not being compiled with as required. GFM 01-0 completed in December 2021 and January 2022. Monthly inspections were not completed at all in 202	1/2022; including Nozzle Screens, Hose inspection, Bond	ling cable continuity (record o	hms), Leaks, Thermo Accumulators a
Finding: The daily, weekly, monthly, and annual inspections are not being compiled with as required. GFM 01-0 completed in December 2021 and January 2022. Monthly inspections were not completed at all in 202 placards. "Nozzle Pressure Gauge Annual Calibration was not completed in 2021/2022. NOTE: Fueling is mediate Corrective Action: Power Supplies will be labeled correctly based on the application they are used on. Action is in progress with	1/2022; including Nozzle Screens, Hose inspection, Bond	ling cable continuity (record o	hms), Leaks, Thermo Accumulators a
Finding: The daily, weekly, monthly, and annual inspections are not being compiled with as required. GFM 01-0 ompleted in December 2021 and January 2022. Monthly inspections were not completed at all in 202 lacards. *Nozzle Pressure Gauge Annual Calibration was not completed in 2021/2022. NOTE: Fueling is mediate Corrective Action: Power Supplies will be labeled correctly based on the application they are used on. Action is in progress with astimated completion date of 5/27 pt Cause Analysis: https://doi.org/10.1007/10.2019/j.par. 5.3, which requires muting of all newly received equiment to the California.	1/2022; including Nozzle Screens, Hose inspection, Bond Platform #A028376 was immediately removed from servi Due Date: 10/11/20 Extended Due Date: 10/28/20 Completed Date: 10/26/20 Root Cause Classification (Select up to 4)	ling cable continuity (record o	hms), Leaks, Thermo Accumulators a
Finding: The daily, weekly, monthly, and annual inspections are not being compiled with as required. GFM 01-0 completed in December 2021 and January 2022. Monthly inspections were not completed at all in 202 placards. "Nozzle Pressure Gauge Annual Calibration was not completed in 2021/2022. NOTE: Fueling 1 mediate Corrective Action: Power Supplies will be labeled correctly based on the application they are used on. Action is in progress with estimated completion date of 5:27 of Cause Analysis: refueling Cause: QNS 3-11-023 P5 par. 5.3, which requires muting of all newly received equirment to the Cal	1/2022; including Nozzle Screens, Hose inspection, Bond Platform #A028376 was immediately removed from servi Due Date: 10/11/20 Extended Due Date: 10/28/20 Completed Date: 10/26/20 Root Cause Classification (Select up to 4) ■ #h1 ■ #h2 ■ h5	ing cable continuity (record o ce and not to be used to fuel ■ h7 ■ k8	Ams), Leaks, Thermo Accumulators a United aircraft. • ≋h10 • ■ h11
Finding: The daily, weekly, monthly, and annual inspections are not being compiled with as required. GFM 01-0 completed in December 2021 and January 2022. Monthly inspections were not completed at all in 202 placards. "Nozzle Pressure Gauge Annual Calibration was not completed in 2021/2022. NOTE: Fueling 1 mediate Corrective Action: Power Supplies will be labeled correctly based on the application they are used on. Action is in progress with estimated completion date of 5:27 of Cause Analysis: refueling Cause: QNS 3-11-023 P5 par. 5.3, which requires muting of all newly received equirment to the Cal	1/2022; including Nozzle Screens, Hose inspection, Bond Platform #A028376 was immediately removed from servi Due Date: 10/11/20 Extended Due Date: 10/28/20 Completed Date: 10/26/20 Root Cause Classification (Select up to 4) • ■ h1	ing cable continuity (record o ce and not to be used to fuel • ■h7	inns), Leaks, Thermo Accumulators a United aircraft. • ⊯ h10
Finding: The daily, weekly, monthly, and annual inspections are not being compiled with as required. GFM 01-0 completed in December 2021 and January 2022. Monthly inspections were not completed at all in 202	1/2022; including Nozzle Screens, Hose inspection, Bond Platform #A028376 was immediately removed from servi Due Date: 10/11/20 Extended Due Date: 10/28/20 Completed Date: 10/26/20 Root Cause Classification (Select up to 4) ■ #h1 ■ #h2 ■ h5	ing cable continuity (record o ce and not to be used to fuel ■ h7 ■ k8	Ams), Leaks, Thermo Accumulators a United aircraft. • ≋h10 • ■ h11

What's left to do?

- AWS EC2 Secure Connection
- iOS App:
 - All views need to be synced after admin change roles or the account status of users
 - Store data locally on the iPad in addition to the cloud
 - Fix cached views on Table Data not updating when mutated
- Website:
 - Vendors responding to issue findings on the website
 - Add ability for United Admins to create audits via website
- Admins:
 - Ability to view audits on the website
 - Ability to assign audits on iOS app

Questions?

